## Art.-Nr. 12-40801-76

## Mini Pizza Oven Thermocook® incl. Pizza & Pinsa Interchangeable Plates



## **Description**

The pizza baking plate transforms your Thermoc fully-fledged, small pizza oven. Of course, you c prepare tarte flambée, foccacia, pinsa or bagels cooking space (max. height 35 mm). Pizza stone crispy baking results. The recess on the top allowadiant heat from the heating element.

Multifunction appliance for interchangeable plate & mp; Pinsa plates included)

Currently more than 25 different interchangeable available, e.g. for waffles, pizza, crêpes, paninis donuts, sandwiches, churros • Digital timer with adjustable up to 9:59 min/sec

An acoustic signal at the end of the cooking time consistent product quality, even with frequently centre The acoustic signal reminds the user at the right remove the food so that it does not burn while the performing other tasks at the same time

Optimal heat transfer: Direct contact between h $\epsilon$  and interchangeable plate due to 8 screws that  $\epsilon$  evenly

New high-performance heating elements with er heating surface for even heat distribution withou Particularly energy-efficient through optimised th insulation: A double shielding minimises heat los reduces the risk of serious burns

Extremely stable frame construction thanks to reinforced supports

The space of 42 mm between the hot plates and the casing prevents heat accumulation in the appliance and thus extends the service life

Improved ventilation slots ensure heat exchange in the casing Easy cleaning of the accessible surfaces

Particularly service-friendly design for easy maintenance and repair

Front panel with display made of easy-to-clean and durable Autotex polyester

Thermostatic control 0 - 300°C

Pilot light

On/off switch

Stainless steel casing

Height-adjustable feet

Interchangeable plates:

Baking chamber Ø 300 x h 35 mm

Massive cast aluminium

Pizza baking stone for crispy baking results

Not suitable for Thermocook Twin

Not suitable for Baking System Adapter



## I data

ic power: 2,8 kW

je: 230V

y frequency: 50HZ / 60Hz

**x depth x height:** 320 x 340/530 x 275/655 mm

eight: 15 kg

ng area (Ø):  $\tilde{A}$  300 x h 35 mm

